



UNILITE[®]

20
25

CATA
LOC



CONTENTS

FLASHLIGHTS

PT-2	Durable LED Penlight	1
FR-400	Right Angle USB Flashlight	1
FR-1200	Right Angle Flashlight	1
FL-550R	Rechargeable Flashlight	1

LANTERNS

L-1800	Powerful LED Lantern	1
RL-5250	360° Site Light	1

INSPECTION LIGHTS

FLX-125	Telescopic Pick Up Light	2
K-550	Compact Mini Work Light	2
PL-3	Pocket Inspection Light	2
IL-175R	Folding Inspection Light	2
IL-425R	Folding Inspection Light	2
IL-925R	Folding Inspection Light	2
SLR-1450	Compact Work Light	3
SLR-1450-BATTERY	SLR-1450 Battery	3
SLR-1750	Powerbank Site Light	3
SPL-350	Spirit level with Worklight	3
IL-625R	Rechargeable Inspection Light	3
IL-SIG1	Signal Inspection Light	3
CRI-1250R	Compact Detailing Light	4

HEAD TORCHES

NL-350R	Rechargeable Neck Light	4
HL-4R	Rechargeable Head Torch	4
HL-8R	Dual Beam LED Head Torch	4
HT-650R	Dual LED & Power Head Torch	4
HT-900R	Industrial Head Torch	4
HL-11R	Ultra Bright Head Torch	5
PS-HDL2	Lightweight Head Torch	5
PS-HDL6R	Dual Power LED Head Torch	5

SITE LIGHTS

MTB-5000	Site Light	5
MTB-5300	Multi Tool Battery Light	5
MTB-10000	Site Light	5
TL-6000	Tripod Light	6
HX-1080	Work Light	6
CL-1700	Clamp Light	6
RF-2000	Heavy Duty Floodlight	6

CHARGING + LIGHTS

SLR-5500	Site Light with Powerbank	7
PB-7800	Industrial Powerbank	7

ATEX LIGHTS

ATEX-FL4	Zone 0 ATEX Flashlight	8
ATEX-H2	Zone 0 ATEX Head Torch	8
ATEX-RA2	Zone 0 ATEX Torch	8

OTHER

UG-12C4	Safety Gloves	9
MT5M2	5M Heavy Duty Tape Measure	9
MT8M3	8M Heavy Duty Tape Measure	9
ES-6	Electricians Scissors	9
EK4	Heavy Duty Folding Knife	9



PT-2 | DURABLE LED PENLIGHT

The PT-2 is a Durable LED Penlight with a strong 275 lumen output. With a super tough die-cast aluminium housing, it has a high IP66 dust and water resistance. It has 2 light mode settings, enabling prolonged performance and a useful integral

LUMEN 275 RUNTIME 1-15H BEAM 90M IP RATING IP66

**STRONG
MAGNET**



FR-400 | RIGHT ANGLE USB FLASHLIGHT

The FR-400 Right Angled Flashlight: a powerful lighting solution designed for versatility and reliability. With a high-quality 400 lumen white LED and a 6500k color temperature, this flashlight provides bright and crisp illumination for any

LUMEN 400 RUNTIME 2-8H BEAM 60M IP RATING IP65



FR-1200 | RIGHT ANGLE FLASHLIGHT

The FR-1200 Dual Powered Right Angle Flashlight: a high-quality lighting solution designed for versatility and durability. With a powerful 1200 lumen white LED, 3 light modes, and a 90-degree rotating head, it provides reliable illumination for

LUMEN 1200 RUNTIME 3-14H BEAM 180M IP RATING IP65



FL-550R | RECHARGEABLE FLASHLIGHT

The FL-550R is a compact aluminium USB rechargeable flashlight with a powerful 550 lumen output. Constructed of hardened anodised die-cast aluminium, it has an ultra-high IP67 dust & water resistance rating making it submersible to

LUMEN 550 RUNTIME 2-21H BEAM 182M IP RATING IP67

**BUILT IN
18000MAH
POWERBANK**



L-1800 | POWERFUL LED LANTERN

The L-1800 is a super bright 1800 lumen industrial LED lantern with a huge 760m range spot beam. On its base is an additional 1000 lumen COB worklight providing a flood of light. This light also features red static & flashing modes for

LUMEN 1800 RUNTIME 9-37H BEAM 760M IP RATING IPX6



RL-5250 | 360° SITE LIGHT

The RL-5250 is a heavy duty 360° site light, comprising of 160 top quality SMD LEDs that produce a huge 5250 lumen (50W) 6500k light output. The 360° milky polycarbonate diffuser lens produces a smooth even light spread, lighting up a wide

LUMEN 5500 RUNTIME 2-16H BEAM 44M IP RATING IP65



FLX-125 | TELESCOPIC PICK UP LIGHT

The FLX-125 delivers powerful, versatile lighting in a sleek, ultra-compact design. This 125-lumen 1W LED emits a bright, natural 6000K white light, making it ideal for inspecting hard-to-reach spaces.

LUMEN 125 RUNTIME 2-6H BEAM 13M IP RATING IP65



K-550 | COMPACT MINI WORK LIGHT

The K-550 is an immensely powerful inspection light in a tiny form factor at just 6cm in diameter. It features a built-in carabiner for hanging, powerful magnet and 160 degree rotating stand, giving it incredible versatility.

LUMEN 550 RUNTIME 1-15H BEAM 29M IP RATING IPX6



PL-3 | POCKET INSPECTION LIGHT

The PL-3 is a bright 500 lumen aluminium LED inspection light constructed of durable die-cast aluminium. A strong magnetic base allows hands-free placement and its anti-roll body keeps it stable when used on its side.

LUMEN 500 RUNTIME 2-16H BEAM 23M IP RATING IPX4



IL-175R | FOLDING INSPECTION LIGHT

The IL-175R is a high quality 180° folding inspection light. It has 3 independent lights, with two main COB LEDs and an additional SMD LED top torch. Ultra compact in design, it has a super tough IK07 copolymer and aluminium construction.

LUMEN 175 RUNTIME 3-6H BEAM 21M IP RATING IP20



IL-425R | FOLDING INSPECTION LIGHT

This powerful light features a 425 lumen white COB LED, along with a secondary rear 150 lumen white SMD LED and an extra top torch with an 80 lumen SMD LED, all emitting a bright 6500k light. This pocket-sized light is perfect for carrying with

LUMEN 425 RUNTIME 3-6H BEAM 31M IP RATING IP20



IL-925R | FOLDING INSPECTION LIGHT

The IL-925R is a high quality 180° folding inspection light constructed from aircraft grade aluminium. It has 3 independent lights, two main COB LEDs, the main COB has an impressive 925 lumen output.

LUMEN 925 RUNTIME 2-9H BEAM 41M IP RATING IP54



SLR-1450 | COMPACT WORK LIGHT

The SLR-1450 Work Light, featuring a powerful 1450 lumen white COB LED with 6500k colour temperature. This versatile light also includes a 150 lumen white LED flashlight, as well as 45 lumen Red and Red flash modes for added functionality.

LUMEN 1450 RUNTIME 3-16H BEAM 53M IP RATING IPX5



SLR-1450-BATTERY | SLR-1450 BATTERY

The BATTERY-SLR1450 is a high capacity 5000 mAh rechargeable battery for the SLR-1450R Complete with USB-C Recharging directly in the battery. 3.7V TYPE-C LI-ION BATTERY DIRECT CHARGE

WEIGHT 78g BATTERY 3.6v Li-ion 5000mAh



SLR-1750 | POWERBANK SITE LIGHT

The SLR-1750 is a compact USB rechargeable Site Light with an ultra bright 1750 lumen output. Its folding 180° stand contains a useful carabiner hook and tripod mount along with strong integral magnets.

LUMEN 1750 RUNTIME 4-138H BEAM 50M IP RATING IPX5



SPL-350 | SPIRIT LEVEL WITH WORKLIGHT

The SPL-350 Spirit Level with Worklight is a versatile tool designed for precision and convenience. It boasts a powerful 350 Lumen LED light, a light-up spirit level vial, and a red laser pointer for accurate alignment.

LUMEN 350 RUNTIME 25H BEAM 23M IP RATING IPX4



IL-625R | RECHARGEABLE INSPECTION LIGHT

The IL-625R is a compact rechargeable inspection light with a powerful 625 lumen output. Weatherproof and shock resistant with ratings of IP65 and IK07, ensuring both robustness and durability.

LUMEN 625 RUNTIME 3-12H BEAM 46M IP RATING IP65



IL-SIG1 | SIGNAL INSPECTION LIGHT

The IL-SIG1 is powerful LED signal inspection light with a 1100 lumen output. It has solid/flashing: red, amber, green and white lights. It is fully weatherproof, rated to IP54 and is constructed of polycarbonate and die-cast aluminium.

LUMEN 1100 RUNTIME 3-30H BEAM 61M IP RATING IP54



CRI-1250R | COMPACT DETAILING LIGHT

The CRI-1250R is a rechargeable powerful high CRI 96+ 1250 lumen Compact Detailing Light. 3 colour temperatures of 2700K / 4500K / 6500K and additional 5W 385nm UV LED makes it perfect for automotive, detailing, painting or

LUMEN 1250 RUNTIME 3-24H BEAM 58M IP RATING IP65



NL-350R | RECHARGEABLE NECK LIGHT

The NL-350R is an innovative rechargeable neck light. It has 2 high quality 175 lumen SMD LEDs, combining to make 350 lumens. A super lightweight design, it only weighs 140g, therefore not straining your neck during use.

LUMEN 350 RUNTIME 2-10H BEAM 45M IP RATING IP65



HL-4R | RECHARGEABLE HEAD TORCH

The HL-4R is a compact multi-use rechargeable head torch, weighing just 78g. Its 275 lumen output can be dimmed 3 times and also includes a safety red flash function.

LUMEN 275 RUNTIME 6-77H BEAM 95M IP RATING IPX5



HL-8R | DUAL BEAM LED HEAD TORCH

475 Lumens provides a powerful beam with fully hands free operation thanks to built in sensor mode. The HL-8R is also to be used as a long distance spot beam and wide angle flood thanks to Side SMD LED's.

LUMEN 475 RUNTIME 4-35H BEAM 90M IP RATING IP65



HT-650R | DUAL LED & POWER HEAD TORCH

The HT-650R is a dual powered 650 lumen head torch. Featuring both 650 lumen COB LED, 6500K flood light and additional 450 lumen CREE LED spot beam, 6500K. It can be operated by either a rechargeable Li-Polymer, or 3 x AAA

LUMEN 650 RUNTIME 2-30H BEAM 84M IP RATING IP65



HT-900R | INDUSTRIAL HEADTORCH

The HT-900R is a powerful 900 lumen industrial head torch. Its single CREE LED provides both a strong central spot beam and wide beam spread thanks to its diffusing lens.

LUMEN 900 RUNTIME 4-100H BEAM 82M IP RATING IP65



HL-11R | ULTRA BRIGHT HEAD TORCH

The HL-11R is a 1100 lumen LED head torch our brightest head torch yet and is operated via an easy twist side dimmer switch. Its rear battery pack is powered by either 1 or 2 lithium-ion rechargeable 18650 batteries.

LUMEN 1100 RUNTIME 4-148H BEAM 167M IP RATING IPX6



PS-HDL2 | LIGHTWEIGHT HEAD TORCH

The PS-HDL2 is a lightweight head torch with a powerful 200 lumen output from its white Cree LED. 7 light settings include a strobe flash, SOS flash and 2 side auxiliary lights.

LUMEN 200 RUNTIME 5-185H BEAM 95M IP RATING IPX6



PS-HDL6R | DUAL POWER LED HEADTORCH

The PS-HDL6R is a dual powered LED head torch, powered by the included USB type-C rechargeable lithium battery or can be run on 3 AAA's using the included battery cartridge. It also comes with a 3M VHB adhesive helmet mount to attach to

LUMEN 350 RUNTIME 3-47H BEAM 27M IP RATING IPX6



MTB-5000 | SITE LIGHT

The MTB-5000 is a powerful 5000 lumen site light that supports batteries from Milwaukee, De Walt, Metabo and Makita. It can be dimmed multiple times to preserve battery life, as well as having multiple colour temperatures.

LUMEN 5000 RUNTIME 2-15H BEAM 49M IP RATING IP65



MTB-5300 | MULTI TOOL BATTERY LIGHT

The MTB-5300 is a powerful 5300 Lumen LED site light that supports batteries from Milwaukee, De Walt, Metabo and Makita, as well as mains power. Constructed from super tough nylon and with an IK07 and IP65 rating.

LUMEN 5300 RUNTIME 2-16H BEAM 95M IP RATING IP65



MTB-10000 | SITE LIGHT

The MTB-10000 is a powerful 10000 lumen site light that supports batteries from Milwaukee, De Walt, Metabo and Makita. It has a 360-degree light output and can be dimmed multiple times to preserve battery life.

LUMEN 10000 RUNTIME 1-10H BEAM 89M IP RATING IP65



TL-6000 | TRIPOD LIGHT

The ultra bright 6000 Lumen 6500K SMD LED Work Light, designed for maximum visibility in any environment. This versatile light offers a stunning 6000 lumens with a 6500K daylight colour temperature.

LUMEN 6000 RUNTIME 2-16H BEAM 64M IP RATING IP65



HX-1080 | WORK LIGHT

The HX1080 Heavy-Duty Work Light delivers reliable, high-performance lighting with a powerful 1080-lumen output at 6500K, ideal for professionals in demanding environments. Its 10W white COB LED provides bright, consistent illumination.

LUMEN 1080 BATTERY 3.7v Li-ion 0mAh IP RATING IP65



CL-1700 | CLAMP LIGHT

The CL-1700 Clamp Light is engineered for durability and flexibility, offering 1700 lumens of brilliant 6500K white light through a 15W COB LED. Its ultra-tough nylon and TPE over-moulded housing withstands demanding environments

LUMEN 1700 BATTERY 3.7v Li-ion 0mAh IP RATING IP65



RF-2000 | HEAVY DUTY FLOODLIGHT

The RF-2000 is a powerful, yet compact LED floodlight. It has a bright 2000 lumen output, providing a well spread flood beam. It has strong construction properties and is made from aluminium, TPR and nylon.

LUMEN 2000 RUNTIME 3-25H BEAM 56M IP RATING IP65





SLR-5500 | SITE LIGHT WITH POWERBANK

The SLR-5500 is an ultra-bright 5500 lumen LED work light with powerbank & a rechargeable battery. The SLR-5500 can charge other products via USB. The main light can be easily rotated, and it has a super strong magnetic base to aid placement.

LUMEN 5500 RUNTIME 3-6H BEAM 54M IP RATING IP54

PB-7800 | INDUSTRIAL POWERBANK

The PB-7800 is a handy 250 lumen SMD LED flashlight with high capacity 7800mAh li-ion power bank. Its adaptive battery has multiple outputs of 5V 2.4A / 9V 2A / 12V 1.5A. A strong magnetic base and sturdy pocket clip ensure ultimate utility.

LUMENS 250 RUNTIME 35H BEAM 21M IP RATING IP65





ATEX-FL4 | ZONE 0 ATEX FLASHLIGHT

The ATEX-FL4 is an intrinsically safe LED ATEX flashlight rated to ATEX zone 0 & UL Class 1 Div 1. A gas release valve and locking battery compartment ensure it can be used in many hazardous environments.

LUMEN 150 RUNTIME 6-69H BEAM 235M IP RATING IP67



ATEX-H2 | ZONE 0 ATEX HEAD TORCH

The ATEX-H2 is an intrinsically safe LED ATEX Head Torch rated to zone 0 & UL Class 1 Div 1. A gas release valve and safety locking battery compartment ensure it can be used in the most hazardous of environments.

LUMEN 225 RUNTIME 5-12H BEAM 115M IP RATING IP67



ATEX-RA2 | ZONE 0 ATEX TORCH

The ATEX-RA2 is an intrinsically safe right-angled LED ATEX torch rated to ATEX zone 0 & UL Class 1 Div 1. A gas release valve and locking battery compartment ensure it can be used in many hazardous environments.

LUMEN 350 RUNTIME 6-13H BEAM 288M IP RATING IP54



UG-12C4 | SAFETY GLOVES

The UG-12C4 are cut resistant gloves with full dorsal TPR impact protection. The gloves offer high protection through ultra tough 15-gauge high-performance polyethylene (HPPE) yarn. This is interwoven with steel and glass fibres for added

WEIGHT 155g **SIZES** S / M / L / XL / XXL



MT5M2 | 5M HEAVY DUTY TAPE MEASURE

The MT5M2 Heavy Duty Tape Measure is a heavy-duty measuring tool with a 5-meter long and 27mm wide blade. The blade is coated with ultra-high-performance nylon, called SUPERBLADE, which has 5 times extended life compared to

WEIGHT 341g **DIMENSIONS** 77 x 75 x 49mm



MT8M3 | 8M HEAVY DUTY TAPE MEASURE

The MT8M3 Heavy Duty Tape Measure is a super heavy-duty measuring tool with an 8-meter long and 32mm wide blade. The blade is coated with ultra-high-performance nylon, called SUPERBLADE.

WEIGHT 626g **DIMENSIONS** 89 x 91 x 58mm



ES-6 | ELECTRICIANS SCISSORS

The ultimate cutting tool for professional electricians. Made with a whole steel frame and industrial strength polypropylene handles with full TPR coating, these scissors provide superior resistance, durability, grip, and comfort.

WEIGHT 154g **DIMENSIONS** 40 x 10 x 160mm



EK4 | HEAVY DUTY FOLDING KNIFE

Made with a high-carbon 3Cr13 stainless steel blade and an ultra-tough ergonomic aluminium handle with front quillion finger guard, this knife is built to last. The 'drop point' blade with serrated edge and tapered spine swedge.

WEIGHT 138g **DIMENSIONS** 67 x 29 x 149mm



KC2 | HEAVY DUTY CUTTER

Made with a combination of nickel, ABS, and TPR materials, this cutter is built to withstand tough working conditions and provide optimal performance. The quick release blade change feature makes it easy to switch out blades without any hassle.

WEIGHT 185g **DIMENSIONS** 45 x 25 x 185mm



**ASPEN
PUMPS**
ASIA PACIFIC

Aspen Pumps Asia Pacific

8 Waddikee Rd,
Lonsdale SA 5160

+61 (8) 8186 4666

sales@aspenspumps.com.au

unilite.com.au
